



Bongiorno mondo.  
Hello world.



Lifesavers Conference 2009  
Julie K. Robbins, CPSTI, Community & Advocate Relations Manager

---

---

---

---

---

---

---

---



### KeyFit Strada Booster



- ❖ With Backrest:  
33-100lbs, 38-57"
- ❖ Without Backrest:  
40-100lbs, 40-57"
- ❖ MSRP: 129.99
- ❖ 2<sup>nd</sup> Quarter 2009

---

---

---


---

---




---

---

---



### KeyFit Strada Booster



- ❖ Height adjustable  
Head/Torso
- ❖ Width adjustable  
Side wings
- ❖ Cupholder with  
adjustable angle
- ❖ EPS throughout

---

---

---

---

---

---


---

---

**chicco** Do we as CPS Technicians and Instructors know everything about all CRS and Vehicles?

**Absolutely NOT!**

**ALWAYS READ AND FOLLOW the instructions and labels**




---

---

---

---

---

---

---

---

---

---

---

---

**KF22 - Handle Hub Decal**      **KF30 - Handle Hub Decal**

**ATENCIÓN!** NUNCA utilizar este sistema de sujeción para niños de más de 33 libras.

**ATTENTION!** NEVER use this seat for children weighing more than 33 lbs.

**USE ONLY** Chicco infant car seats labeled with a green dot.

**USE SOLAMENTE** los bases de asiento de automóbil para niños Chicco con un punto verde.

**Atención:** Siempre Poner los 22 libras. Nunca usar para niños más pesados.

**Atención:** Siempre Usar los 33 libras. Nunca usar para niños más pesados.

**Attenzione:** Porsi a 22 libbre. Non usare per bambini più pesanti.

**Attenção:** Pôr a 22 libras. Nunca usar para crianças mais pesadas.

**Atención:** Nunca utilizar este tipo de asiento para niños de más de 33 libras.

**Attenção:** Nunca utilizar este tipo de assento para crianças de mais de 33 libras.

**ALL KEYFIT BASES**

---

---

---

---

---

---

---

---

---

---

---

---

**chicco**


**HANDLE**

Handle has 3 LOCKED positions. To rotate to a new position, press both buttons near pivot.

**▲ BE SURE** handle is LOCKED in "CARRY" position before lifting carrier by handle. An unlocked handle could move unexpectedly, causing injury to child.

**▲ ALWAYS** place handle in one of the LOCKED positions when using Child Restraint in vehicle.

**▲ NEVER** hang toys or other objects from handle when using child restraint in vehicle. They could seriously injure a child in a sudden stop or crash.




---

---

---

---

---

---

---

---

---

---

---

---

**chicco**

**SHOULDER BELT LOCKOFF**

The Shoulder Belt Lockoff is used when installing the Base using your vehicle belts. It locks the vehicle shoulder belt in place, ensuring a stable, secure Base installation.

Shoulder belt lockoff

- ⓐ Do not put the shoulder belt in the locked mode.
- ⓑ With vehicle belt tight, position the shoulder belt under the Shoulder Belt Lockoff that is on the opposite side of the buckle.
- ⓒ Firmly slide shoulder belt into the lockoff. (Optional: Once the base is installed tightly, the shoulder belt can be put in the locked mode. See vehicle owner's manual or label on seat belt for more information.)

Refer to "Installation Using Vehicle Belt" on page 22 for detailed installation instructions.

---

---

---

---

---

---

---

---

---

---

---

---

**chicco**

**INSTALLATION USING LATCH**

LATCH or Vehicle Belt? This Child Restraint can be safely installed using Vehicle Belt or LATCH. Use the method that results in the MOST SECURE installation in your vehicle.

Angle

- ⓐ Remove LATCH Connectors from storage pockets while lifting up on LATCH Release Lever.
- ⓑ Position Base in forward facing vehicle seat with Recline Foot against seat back.
- ⓒ Adjust Base Angle by pushing Recline Buttons while lifting Base. Angle is correct when Bubble is between arrows.
- ⓓ Attach LATCH Connectors by pushing them firmly onto vehicle LATCH Anchor Bars. Verify connection is secure by pulling firmly on LATCH straps.

LATCH anchors

⚠ This child restraint base is designed to be used with lower LATCH anchors at the standard spacing (11 inches) ONLY. Refer to vehicle owner's manual for information about LATCH and child restraint installation positions.

---

---

---

---

---

---

---

---

---

---

---

---

**chicco**

## How You Can Help Us Help You

- Take Pictures!
- Provide Year, Make, Model of Vehicle
- Provide Model and Serial Numbers of CR
- Provide Detailed Descriptions
- Encourage Consumers to contact Customer Service: 877-4-CHICCO

---

---

---

---

---

---

---


---

---

---

---


---



**Comments, Concerns, Questions are Welcome!**

- ❖ Ideas for Improvement
- ❖ Issues with Instructions
- ❖ Misuse Found in the Field
- ❖ Request a KeyFit for demonstration/training
- ❖ Request a presentation

Contact:  
julier@chiccousa.com



---

---

---

---

---

---

---

---